

ECKOWOOD HARDWOOD FLOORS INC.

2015 Specification Sheets


International Brand. Real Hardwood Floor Company.



ECKOWOOD
REAL HARDWOOD FLOORS

- **Dimensions** 5.0 mm (T) × 470mm(W) × 470mm(L)
- **Packing** 10pcs / 2.209m²
- **Dimensions** 5.0 mm (T) × 7"(W) × 48"(L)
- **Packing** 10pcs / 23.35s/f

Style your home with the natural elegance of wood using the specialized technology of "Acoustic" function. Sounds can be stressful in our environment, so Silent Walk Acoustic is the key when it comes to reduce the noise between the stories in any residential places.



Characteristics

- Excellent dimensional stability using glass fiber layer
- Cost effective (No glue down) way to improve the appearance in residential environments
- Excellent noise reduction
- Fully recyclable
- Environmentally-friendly vinyl floor tiles
- An ability to absorb noise
- FloorScore Certified
- UV coated
- NANO Silver treatment: Anti bacteria
- Contributes to credits for green-building systems, like LEED
- Durable, resilient and 100% waterproof
- Easy glueless installation
- IIC-57
- SPC-55



Oak Maroco



Oak Amazon Rainforest



Oak Milky Way



Oak Brown Bear



Oak Nature Grey



Oak Raw Diamond





ECKOWOOD

REAL HARDWOOD FLOORS

Silk Light Brushed Oak Collection- 7 inch wide

PRODUCT SPECIFICATION:

CELTIC OAK, OAK ALZETTE, OAK PICOLATON, OAK KINEJA, FRENCH OAK,
CHANSON DE GESTE, OAK SYRACUSE

Designed to highlight the natural richness and deepness of the grain of white oak. In our Silk Light Brushed Oak Flooring Collection, softer portions of wood are removed, this exposes the grain and brings enhanced definition to each and every plank.

CONSTRUCTION:

- engineered 3 layer cross ply construction
- birch & eucalyptus plywood (the strongest and most dimensionally stable)
- hand brushed surface
- 3mm wear layer
- micro-beveled edges
- ABC grade
- 12 layer of German eco friendly Treffert finish with anti-scratch top coat
- 25 year wear warranty
- warranted on radiant heat

BOARD SIZE:

Width: 7 1/3" (189mm)
Thickness: 1/2" (14mm)
Length: Random Lengths to approx 74" (600-1860 mm)

INSTALLATION TYPES:

- nail, glue or float
- above, on and below grade

SQ/FT / BOX: 30.37 sq/ft

FACTORY FINISH: German eco friendly Treffert finish with anti-scratch top coat

WARRANTY: 25 year residential wear warranty



Silk Light Brushed Oak Collection- 7 inch wide

Oak Celtic



Oak Alzette



Oak Picolation



Oak Knieja



French Oak



Chanson De Geste



Natural Collection

PRODUCT SPECIFICATION:

CONSTRUCTION:

- engineered 8 layer cross ply construction
- birch & eucalyptus plywood (the strongest and most dimensionally stable)
- handcrafted bevel or micro-bevel
- available in smooth finish or wear-layer is lightly distressed by hand for “antiqued look”
- 2mm,3mm,4mm wear layer
- Dynea Glue from Denmark
- 12 layer of German eco friendly Treffert finish with anti-scratch top coat
- 25 year wear warranty
- Hickory, Walnut and Oak warranted on radiant heat (Acacia and Sapele is not recommended)

BOARD SIZE:

- Width: 5” (127mm) (except for Acacia which is 4 3/4” wide)
- Thickness: 1/2” (12mm)
- Length: Random Lengths to approx 48” (1200 mm)

INSTALLATION TYPES:

- nail, glue or float
- above, on and below grade

SQ/FT / BOX: 26.26 sq/ft (except for Acacia which is 25.21 sq/ft/box)

FACTORY FINISH: German eco friendly Treffert finish with anti-scratch top coat

WARRANTY: 25 year residential wear warranty

White Oak Natural



Hickory Natural



Sapele Natural



Acacia Natural Smooth



Acacia Natural Antiqued



Walnut Natural





Antiqued Maple Collection

PRODUCT SPECIFICATION:

Handcrafted by old world skilled artisans, gives the floor a natural antiqued look.

CONSTRUCTION:

- engineered 8 layer cross ply construction
- birch & eucalyptus plywood (the strongest and most dimensionally stable)
- handcrafted bevel
- wear-layer is lightly distressed by hand for “antiqued look”
- 3mm wear layer (except for Birch Vancouver Sunset which is 2mm wear layer)
- 12 layer of German eco friendly Treffert finish with anti-scratch top coat
- 25 year wear warranty
- warranted on radiant heat

BOARD SIZE:

Width: 5” (127mm)

Thickness: 1/2” (12mm)

Length: Random Lengths to approx 48” (1200 mm)

INSTALLATION TYPES:

- nail, glue or float
- above, on and below grade

SQ/FT / BOX: 26.26 sq/ft

FACTORY FINISH: German eco friendly Treffert finish with anti-scratch top coat

WARRANTY: 25 year residential wear warranty

Maple Yellow Sand




Maple Brown Stone



Maple Brown River



Maple Vancouver Sunset



Maple Jasper



Maple Dark Grape





Brushed Oak Collection - 5 inch

PRODUCT SPECIFICATION:

Designed to highlight the natural richness and deepness of the grain of white oak. In our Brushed Oak Flooring Collection, softer portions of wood are removed, this exposes the grain and brings enhanced definition to each and every plank.

CONSTRUCTION:

- engineered 8 layer cross ply construction
- birch & eucalyptus plywood (the strongest and most dimensionally stable)
- hand brushed surface
- 2mm wear layer
- micro-beveled edges
- 12 layer of German eco friendly Treffert finish with anti-scratch top coat
- Formaldehyde-free PUR hot melt Dynea Glue,
- emission of formalydehyde: E1 Standard
- 25 year wear warranty
- warranted on radiant heat

BOARD SIZE:

Width: 5" (127mm) Thickness: 1/2"(12mm) Length: Random Lengths to approx 48" (1200 mm)

INSTALLATION TYPES:

- nail, glue or float
- above, on and below grade

SQ/FT / BOX: 26.26 sq/ft

FACTORY FINISH: German eco friendly Treffert finish with anti-scratch top coat

WARRANTY: 25 year residential wear warranty

Oak White Night



Oak Wild Mustang



Oak Grey Eagle



Oak Royal Pearl



Oak Baltic Amber



In addition Oak Royal Pearl and Oak Baltic Amber have been carbonized, which makes them more resistant to dampness and scratches. Carbonized hardwood floor is more stable and warmth keeping, which is a big advantage especially in the regions where it is cold winter.